



रिब्दीकोट गाउँपालिका

गाउँ कार्यपालिकाको कार्यालय

खुस्यौली, पाल्पा
लुम्बिनी प्रदेश, नेपाल
खुस्यौली, पाल्पा
लुम्बिनी प्रदेश, नेपाल
स्था. २०७३



प.सं. २०८२/०८३

च.नं.

9857078307

info@ribdikotmun.gov.np

www.ribdikotmun.gov.np

कृषि सामग्री तथा यन्त्र उपकरणको लागत अनुमान तयार गर्नका दररेट पेश गर्ने सम्बन्धि सूचना।

(प्रथम पटक प्रकाशित मिति: २०८२/०५/२७)

प्रस्तुत विषयमा रिब्दीकोट गाउँपालिकाको कार्यालयका लागि आवश्यक कृषि यन्त्र उपकरण तथा सामग्री खरिद गर्ने प्रयोजनका लागि चालु आ.ब २०८२/०८३ का लागि कार्यालयको दररेट निर्धारण गरि लागत अनुमान तयार गर्ने प्रयोजनका लागि यसै सूचना साथ संलग्न कृषि सामग्री तथा यन्त्र उपकरणहरूको मूल्य (भ्याट लाग्ने भए कैफियतमा खुलाई) प्रचलित कानून बमोजिम बजार दररेट भन्दा बढी नहुने गरि इच्छुक सम्बन्धित फर्म वा सप्लायर्सले देहायका कागजातहरूको प्रमाणित प्रतिलिपि सहित यो सूचना प्रकाशन भएको मितिले ७ दिन (मिति: २०८२/०६/०२) भित्र यस कार्यालयमा पेश गर्नहुन अनुरोध छ ।

देहाय:

- फर्म/सप्लायर्स दर्ताको प्रमाणपत्र , नबिकरण
- स्थायी लेखा नम्बर वा मूल्य अभिवृद्धि कर दर्ताको प्रमाणपत्र
- कर चुक्ता प्रमाणपत्र
- आवश्यकता अनुसारको व्यवसायिक इजाजतपत्र र
- दररेट पेश गरेको निवेदन

मणि प्रसाद खनाल


प्रमुख प्रशासकीय अधिकृत
प्रमुख प्रशासकीय अधिकृत



प्रमुख प्रशासकीय अधिकृत

कृषि सामग्री तथा यन्त्र उपकरणको विवरणः

S.N.	Description	Specification	Unit	QTY	Offered Rate		Remarks
					In Numbers	In Words	
1	Combine Mill	<ul style="list-style-type: none"> • Voltage: 220V / 50Hz single phase • Power: Minimum 2 hp • Motor RPM: Min 2800 • Rice mill capacity: Min 170–190 kg/hour • Crusher capacity: 280–320 kg per hour • Starting system: Electrical start system • Overall dimension: Minimum 1000mm–1100mm × 1010–1020mm × 300–320mm • Weight: Minimum 40kg–60kg 	No.	1			
2	Battery cum manual Sprayer	<ul style="list-style-type: none"> • Operation method: Battery cum manual • Capacity (Litres): Minimum 16 litres to 20 litres • Pressure (MPa): 0.2 to 0.45 MPa • Size: 38.2 × 21 × 48.5 cm • Battery Type: Minimum 12V 8AH • Material: Plastic 	No.	1			
3	Digital Weight Balance	<ul style="list-style-type: none"> • Capacity: Not less than 100 kg • Power Source: Input 222 Volt AC(rechargeable) • Length/Width: Minimum 0.4 m/0.4 m • Display Type: Digital display type • Weight: Standard (Minimum 100 kg) • Material: MS Steel 	No.	1			

4	Mini Tiller	<ul style="list-style-type: none"> • Tilling depth: Mini150mm • Tilling breadth: Min 1050mm • Gear shift speed: 2 Forward and 1 Reverse gear • Blade type: 4 pcs (4+3+1) group (32 pcs) • Driving model: Gear drive • Fender: 2 pcs • Wheel: 400-8 • Displacement (CC): 290 • Engine speed (rpm): 3600 • Max Power: 7 hp • Fuel: Diesel • Fuel tank volume (L): Minimum 3.6L • Lubricant oil volume (L): Minimum 1L • Starting system: Recoil (manual) start • Overall dimension: Minimum 385 × 420 × 450 mm • Lube grade/type: SAE10W-30 • Net weight: Minimum 120kg-145kg • Gross weight: Minimum 125kg-145kg 	No.	1	 नेपाल सरकार कृषि विकास विभाग काठमाडौं, नेपाल स्था: २०७३		
---	-------------	---	-----	---	--	--	--

प्रमुख प्रशासकीय अधिकृत

फर्म/ सप्लायर्सको नाम:

ठेगाना:

सम्पर्क व्यक्तिको नाम:

सम्पर्क नम्बर:

हस्ताक्षर :

छाप: